traulux by Charmex

traulux.net / charmex.net

MODULAR LED SYSTEM T-RENT-EXPO

DESIGN EXHIBIT BOOTHS THAT MAKE AN IMPACT FROM THE VERY FIRST MOMENT



System modular

Design for Booths

Structural compatibility

Assembly quick

Integration accessories

Creativity without limits

A modular LED system designed for building visually striking trade show booths, combining creative freedom, quick setup, and full integration with standard industry structures.

AI-generated image

LED Solution
for the construction of booths



AI-generated image

DESIGNED FOR TRADE SHOW SETTINGS

T-Rent-Expo is a modular LED system specifically designed for the design and construction of trade show booths, where aesthetics, versatility, and speed of installation are key to the project's success.

DIRECT INTEGRATION WITH STANDARD STRUCTURES

Its compatibility with industry-standard structures allows for direct integration, eliminating the need for adapters or complex solutions, thereby simplifying the design process and reducing assembly time.

QUICK AND EFFICIENT INSTALLATION

Designed for temporary assembly environments, the system facilitates quick, precise, and repeatable installation, optimizing resources and allowing structures to be reused across different projects.

MAXIMUM FLEXIBILITY SETTINGS

Thanks to its modular design and ecosystem of accessories, the stand can be adapted to different spaces, formats, and needs, offering customized solutions without technical complexity.

VISUAL IMPACT

The system transforms any booth into a dynamic, immersive visual experience, making a strong impression from a distance and immediately capturing attention.

STAND OUT FROM THE COMPETITION

At trade shows, where multiple brands compete for visibility, T-Rent-Expo becomes a key differentiator, helping to attract visitors, increase foot traffic, and generate greater interest in the exhibition space.

AN ACTIVE COMMUNICATION TOOL

More than just a screen, the system transforms the booth into a visual communication platform that combines digital content, design, and structure to maximize impact at every event.

OPERATIONAL EFFICIENCY AND REUSE


The combination of structural compatibility, adaptable fastening, and modularity makes it possible to reuse existing structures, reduce technical complexity, and optimize both installation time and operating costs for each project.


Integrate. Connect. Build *without limitations.*

traulux by Charmex

T-Rent-Expo has been designed to integrate seamlessly with the most commonly used structures on the market, making it easy to incorporate into real-world projects without the need for specialized solutions. This results in greater flexibility, less technical complexity, and more efficient installation, even in demanding environments such as trade shows or temporary setups.

AI-generated image





DUAL STRUCTURAL COMPATIBILITY

T-Rent-Expo is compatible with standard 55 mm (M6) and 62 mm (M8) structures, allowing for direct integration into the most commonly used systems in the rental and trade show industries.

This compatibility eliminates integration barriers and makes it easier to use the system within existing infrastructures, without the need for additional modifications.

ADAPTABLE CONNECTION SYSTEM (M6 / M8)

The mounting system allows you to select the type of connection by changing the pins and fasteners (M6 / M8), making it easy to adapt to the type of structure being used.

This approach ensures a precise and secure connection without the need for additional adapters, simplifying the assembly process and reducing the likelihood of installation errors.

Compatible with different frame thicknesses




INSTALLATION FLEXIBILITY

The system allows you to choose between two installation methods depending on the project's requirements:

- Direct screw fixation (without the use of lateral locks)
- Use of traditional locking systems (locks)


This dual option offers greater installation flexibility, adapting to both structural configurations and faster assembly solutions.



OPTIMIZATION OF RESOURCES AND INSTALLATION TIMES

The combination of structural compatibility and an adaptable fastening system makes it possible to reuse existing structures, thereby reducing the technical complexity of installation.

This translates into faster installation times, greater operational efficiency, and cost savings on every project.



T-RENT-EXPO

traulux by Charmex

Break *the mold and* create booths that stand out



AI-generated image

Design spacious environments that capture attention from every angle. T-Rent-Expo enables you to create more dynamic, visible, and memorable LED structures, enhancing the visitor experience while facilitating more versatile, reusable, and efficient installations.

FRAME EXTENSIONS: STRUCTURAL SCALABILITY

Structural extensions allow you to expand and customize the dimensions of the booth, making it easier to create custom layouts that go beyond standard sizes.

Thanks to the availability of different sizes and shapes (including rounded corners and curved structures), it is possible to develop custom solutions while maintaining the structural integrity of the system.



992 x 2840 mm
with rounded corners



992 x 2840 mm
with rounded corners



496 x 496 mm



496 x 992 mm



992 x 992 mm

PIN LOX: QUICK AND SECURE CONNECTION

The Pin Lox system is designed to streamline the connection between structural elements and cabinets, ensuring a precise, quick, and reliable fastening.

Its design allows for use with different thread sizes (M6 / M8) and simplifies both assembly and disassembly, optimizing installation times in rental environments.



M6 / M8 Pin Screws



Pin



Lox



Pin Lox



PinLox - for connecting frames



Pin - for connecting the frame to the profile



A pin without a plastic sleeve can only be used to connect the frame to the cabinet

Traulux T-Rent-Expo
Design without limits.
It makes an impact effortlessly.

T-Rent-Expo transforms the concept of LED screens into a creative tool for building unique spaces. Its versatility allows each installation to be adapted to any design, creating eye-catching visual structures that set the booth apart and maximize its impact at trade shows.



AI-generated image

traulux by Charmex

STRUCTURAL PROFILES: PRECISE AND VERSATILE CONNECTIONS

The system incorporates various types of structural profiles designed to facilitate the connection of cabinets in multiple configurations.

Square profiles allow three or more modules to be joined at right angles, while quarter-circle profiles are optimized for 90° connections between two structures, ensuring stability, precision, and a clean finish at every joint.



Square profile for joining three or more cabinets at a 90-degree angle



Quarter-circle trim to join two cabinets at a 90-degree angle

CORNER AND SHAPE SYSTEM

T-Rent-Expo enables the creation of LED structures that go beyond flat formats, facilitating the design of 90° corners and cubic configurations (1x1, 2x2, 3x3) through the use of specific accessories such as cube connectors and 496 Corner pieces.

This system opens the door to volumetric solutions and creative designs tailored to trade show, retail, and event settings, expanding the possibilities for visual LED integration.




90° Joint
Create your corner or cube



To make a 90° connection, you will need to cut a 45° angle on the left or right side of the cabinet, which means you will no longer be able to connect it to a standard cabinet on that side.


Create your own nook or cubicle





Connector

Connector




1x1 2x2 3x3

CORNER FILLER: MAXIMUM CONFIGURATION FLEXIBILITY

The system includes a corner filler, which allows modules modified for corners (45°) to be converted into standard modules, restoring their compatibility with the rest of the cabinets and structures.

This feature eliminates one of the main limitations of traditional modular LED systems, allowing the same cabinets to be reused in different configurations and optimizing both the investment and the project logistics.



Cabinet

45-degree mitered cabinet

CNC Corner Filler


Compatible with standard modules and frames



ADJUSTABLE CURVATURE SYSTEM

T-Rent-Expo features a configurable tilt system using a tilt lock, which allows each cabinet to be adjusted to different angles (0°, 2.5°, 5°, 7.5°, and 10°).

This system facilitates the precise creation of concave and convex surfaces, maintaining alignment between modules and ensuring robust structural integration in curved configurations.



A WIDE RANGE OF CABINETS FOR MAXIMUM FLEXIBILITY

The system is complemented by a wide range of cabinets designed to accommodate various installation and design requirements.

Includes standard (flat) cabinets, flexible cabinets, solutions specifically designed for VR environments, and triangular and mitered modules for corners and special geometries.

All of them have been designed to integrate and connect seamlessly with one another, allowing different types to be combined within a single installation without any structural or visual limitations.



Different types of cabinets can be connected to each other

FLEXIBLE CABINETS: CURVED DESIGN AND WRAPPING SHAPES

Flexible cabinets allow for the creation of continuous curved surfaces, adapting to concave or convex designs without the need for complex additional structures.

Their adaptability makes them particularly well-suited for projects where form is a key element, facilitating the transition between flat and curved sections within a single installation.





AI-generated image


VR SOLUTIONS: IMMERSIVE EXPERIENCES

VR-specific cabinets are designed for applications where visual continuity and precision are critical, such as virtual studios or audiovisual production.

They allow for curved installations with controlled radii, minimizing the visibility of joints and ensuring a uniform surface.



Concave **Convex**




Compatible with 55/62 mm profile systems
Easy connection between structures with PinLox

UNLIMITED DESIGN FLEXIBILITY

The combination of different types of cabinets within a single system makes it possible to develop fully customized solutions, ranging from flat screens to curved, wraparound, or three-dimensional structures.

This integration capability makes the system a versatile tool for any type of project, optimizing both design and efficiency in assembly and component reuse.



traulux by Charmex



AI-generated image

Turn the floor into a visual experience.



The T-Rent-Expo flooring system transforms any surface into a solid, safe, and high-impact visual experience. Designed for demanding environments, it combines structural strength, ease of installation, and customization options that elevate the final result both technically and aesthetically.

AI-generated image


REINFORCED FLOOR SYSTEM WITH VENTILATION

The floor structure features a reinforced design with active ventilation via optional fans, improving heat dissipation in high-performance applications.

In addition, it includes side-fastening systems that allow the structure to be secured directly, speeding up assembly and ensuring a solid and stable installation.



Floor structure without accessories



Different types of cabinets can be connected to each other

Side lock


PRECISE LEVELING FOR UNEVEN SURFACES

The system incorporates leveling mechanisms that make it easy to adjust the surface level, ensuring a uniform finish even on uneven floors.

This feature improves the overall stability and enhances the final viewing experience.



Floor structure without leveling



With leveling
Easy adjustment of the layout

traulux by Charmex

traulux.net / charmex.net

T-RENT-EXPO

ADJUSTABLE HEIGHT FOR GREATER FLEXIBILITY

Thanks to its height-adjustable legs, the structure can be adapted to different installation requirements.

It allows you to work on uneven surfaces and quickly adjust the height, making setup easier in real-world event or trade show settings.




By loosening the quick-release lever to adjust the foot, you can easily adjust the height.

It also allows you to work on uneven surfaces

MAGNETIC CONNECTION SYSTEM FOR ACCESSORIES

The system allows for the integration of accessories using magnetic fasteners, simplifying installation and reducing assembly time.

This approach improves the system's modularity and facilitates future configurations or expansions.



Attach the magnet to the floor tile




AI-generated image

Create experiences that they remember

Cabinet Types for Every Application

It's not just about displaying content; it's about transforming spaces into visual experiences that attract, engage, and connect.

The T-RENT Expo series offers a variety of cabinet styles designed to spark creativity and transform any booth or installation into a unique and striking environment.



AI-generated image


traulux by Charmex

FLAT INDOOR CABINET

Turn your walls into a visual magnet

Turn any surface into a seamless display that grabs attention from the very first moment.

Ideal for indoor spaces where brightness, detail, and aesthetics make all the difference




PITCH	P1.29	P1.55	P1.93	P2.58
Brightness (cd/m²)	>800	>800	>800	>800
Recommended viewing distance	>1.29 m	>1.55 m	>1.93 m	>2.58 m
Technology	GOB	GOB	GOB	GOB
LED type	SMD1010	SMD1010	SMD1010	SMD1010
Pixel density (dots/m²)	599,076	416,025	266,256	149,769
Refresh rate	1920–3840 Hz	1920–3840 Hz	1920–3840 Hz	1920–3840 Hz
Viewing angle	160° H / 160° V	160° H / 160° V	160° H / 160° V	160° H / 160° V
Contrast	6000:1	6000:1	6000:1	6000:1
Module size	248 × 248 mm	248 × 248 mm	248 × 248 mm	248 × 248 mm
Cabinet size	496 × 496 × 55 / 62 mm	496 × 496 × 55 / 62 mm	496 × 496 × 55 / 62 mm	496 × 496 × 55 / 62 mm
Resolution (px)	384 × 384	320 × 320	256 × 256	192 × 192
System	Stacking / Hanging / Stitching	Stacking / Hanging / Stitching	Stacking / Hanging / Stitching	Stacking / Hanging / Stitching
Scan mode	1/32	1/16, 1/40	1/16, 1/32	1/24
Environment	IP30	IP30	IP30	IP30
Max. power consumption (W/m²)	600	600	600	600
Voltage	100–240 V AC	100–240 V AC	100–240 V AC	100–240 V AC
Weight	9.3 kg per panel (no extensions)	9.3 kg per panel (no extensions)	9.3 kg per panel (no extensions)	9.3 kg per panel (no extensions)
Certifications	CE, EMC, TÜV-EMC, FCC, ETL, PSE, CCC, RoHS	CE, EMC, TÜV-EMC, FCC, ETL, PSE, CCC, RoHS	CE, EMC, TÜV-EMC, FCC, ETL, PSE, CCC, RoHS	CE, EMC, TÜV-EMC, FCC, ETL, PSE, CCC, RoHS

FLAT OUTDOOR CABINET

Make your message stand out from the crowd

Designed to stand out outdoors, this cabinet ensures visibility and presence even in the most demanding environments.

Perfect for catching the eye from a distance and maximizing the impact of your message.



PITCH	P1.29	P1.55	P1.93	P2.58	P2.95	P3.875
Brightness (cd/m²)					>3500	>3500
Recommended viewing distance	>1.29 m	>1.55 m	>1.93 m	>2.58 m	>2.95 m	>3.87 m
Technology	MicroX	MicroX	MicroX	MicroX	MicroX	MicroX
LED type	MicroX	MicroX	MicroX	MicroX	SMD1515	SMD1921
Pixel density (dots/m²)	599,076	416,025	266,256	149,769	114,244	66,564
Refresh rate	1920–3840 Hz	1920–3840 Hz	1920–3840 Hz	1920–3840 Hz	1920–3840 Hz	1920–3840 Hz
Viewing angle	160° H / 160° V	160° H / 160° V	160° H / 160° V	160° H / 160° V	160° H / 160° V	160° H / 160° V
Contrast	6000:1	6000:1	6000:1	6000:1	6000:1	6000:1
Module size	248 × 248 mm	248 × 248 mm	248 × 248 mm	248 × 248 mm	248 × 248 mm	248 × 248 mm
Cabinet size	496 × 496 × 55 / 62 mm	496 × 496 × 55 / 62 mm	496 × 496 × 55 / 62 mm	496 × 496 × 55 / 62 mm	496 × 496 × 55 / 62 mm	496 × 496 × 55 / 62 mm
Resolution (px)	384 × 384	320 × 320	256 × 256	192 × 192	168 × 168	128 × 128
System	Stacking / Hanging / Stitching	Stacking / Hanging / Stitching	Stacking / Hanging / Stitching	Stacking / Hanging / Stitching	Stacking / Hanging / Stitching	Stacking / Hanging / Stitching
Scan mode	1/32	1/16, 1/32	1/16, 1/32	1/16	1/14	1/8
Environment	IP65 / IP54	IP65 / IP54	IP65 / IP54	IP65 / IP54	IP65 / IP54	IP65 / IP54
Max. power consumption (W/m²)	600	600	600	600	800	800
Voltage	100–240 V AC	100–240 V AC	100–240 V AC	100–240 V AC	100–240 V AC	100–240 V AC
Weight	9.3 kg per panel (without extensions)	9.3 kg per panel (without extensions)	9.3 kg per panel (without extensions)	9.3 kg per panel (without extensions)	9.3 kg per panel (without extensions)	9.3 kg per panel (without extensions)
Certifications	CE, EMC, TÜV-EMC, FCC, ETL, PSE, CCC, RoHS	CE, EMC, TÜV-EMC, FCC, ETL, PSE, CCC, RoHS	CE, EMC, TÜV-EMC, FCC, ETL, PSE, CCC, RoHS	CE, EMC, TÜV-EMC, FCC, ETL, PSE, CCC, RoHS	CE, EMC, TÜV-EMC, FCC, ETL, PSE, CCC, RoHS	CE, EMC, TÜV-EMC, FCC, ETL, PSE, CCC, RoHS


MITERED CABINET

Perfect corners, with no visual interruptions

Thanks to its mitered design, this cabinet allows you to create perfectly clean 90° corners, eliminating visible joints between modules.

The result is a seamless, perfectly aligned display that conveys greater quality, precision, and a premium finish.

Ideal for booths and spaces where attention to detail makes all the difference, allowing you to build structures with sharp angles without disrupting the visual experience.



PITCH	P1.29	P1.55	P1.93	P2.58
Brightness (cd/m²)	>800	>800	>800	>800
Recommended viewing distance	>1.29 m	>1.55 m	>1.93 m	>2.58 m
Technology	GOB	GOB	GOB	GOB
LED type	SMD1010	SMD1010	SMD1010	SMD1010
Pixel density (dots/m²)	599,076	416,025	266,256	149,769
Refresh rate	1920–3840 Hz	1920–3840 Hz	1920–3840 Hz	1920–3840 Hz
Viewing angle	160° (H) / 160° (V)	160° (H) / 160° (V)	160° (H) / 160° (V)	160° (H) / 160° (V)
Contrast	6000:1	6000:1	6000:1	6000:1
Module size	248 × 248 mm	248 × 248 mm	248 × 248 mm	248 × 248 mm
Cabinet size	496 × 496 × 55 mm	496 × 496 × 55 mm	496 × 496 × 55 mm	496 × 496 × 55 mm
Resolution (px)	384 × 384	320 × 320	256 × 256	192 × 192
System	Stacking / Hanging / Stitching	Stacking / Hanging / Stitching	Stacking / Hanging / Stitching	Stacking / Hanging / Stitching
Scan mode	1/32	1/16, 1/40	1/16, 1/32	1/24
Environment	IP30	IP30	IP30	IP30
Max. power consumption (W/m²)	600	600	600	600
Voltage	100–240 V AC	100–240 V AC	100–240 V AC	100–240 V AC
Weight	9.2 kg per panel (without extensions)	9.2 kg per panel (without extensions)	9.2 kg per panel (without extensions)	9.2 kg per panel (without extensions)
Certifications	CE, EMC, TÜV-EMC, FCC, ETL, PSE, CCC, RoHS	CE, EMC, TÜV-EMC, FCC, ETL, PSE, CCC, RoHS	CE, EMC, TÜV-EMC, FCC, ETL, PSE, CCC, RoHS	CE, EMC, TÜV-EMC, FCC, ETL, PSE, CCC, RoHS

FLEXIBLE CABINET

Give shape to your ideas without limits

Designed to adapt the screen to any surface, curve, or creative concept.

Ideal for projects where design freedom and visual integration make all the difference.



PITCH	P1.55	P1.93	P2.58
Brightness (cd/m²)	>800	>800	>800
Recommended viewing distance	>1.55 m	>1.93 m	>2.58 m
Technology	GOB	GOB	GOB
LED type	SMD1010	SMD1010	SMD1010
Pixel density (dots/m²)	416,025	266,256	149,769
Refresh rate	1920–3840 Hz	1920–3840 Hz	1920–3840 Hz
Viewing angle	160° (H) / 160° (V)	160° (H) / 160° (V)	160° (H) / 160° (V)
Contrast	6000:1	6000:1	6000:1
Module size	248 × 248 mm	248 × 248 mm	248 × 248 mm
Cabinet size	496 × 496 × 55 mm	496 × 496 × 55 mm	496 × 496 × 55 mm
Resolution (px)	320 × 320	256 × 256	192 × 192
System	Stacking / Hanging / Stitching	Stacking / Hanging / Stitching	Stacking / Hanging / Stitching
Scan mode	1/40	1/32	1/24
Environment	IP30	IP30	IP30
Max. power consumption (W/m²)	600	600	600
Voltage	100–240 V AC	100–240 V AC	100–240 V AC
Weight	9.2 kg per panel (without extensions)	9.2 kg per panel (without extensions)	9.2 kg per panel (without extensions)
Certifications	CE, EMC, TÜV-EMC, FCC, ETL, PSE, CCC, RoHS	CE, EMC, TÜV-EMC, FCC, ETL, PSE, CCC, RoHS	CE, EMC, TÜV-EMC, FCC, ETL, PSE, CCC, RoHS

VR CABINET / CORNERS

Creates depth, continuity, and an infinite effect

Designed to eliminate visual boundaries, this cabinet allows you to create perfect corners and seamless, immersive environments.

Available in concave and convex versions, it offers two distinctly different effects: the convex curvature creates a powerful sense of infinity and spaciousness, while the concave version envelops the visitor, creating an immersive experience that enhances the impact of the content.

Perfect for projects where design takes center stage and technology blends seamlessly into the space.




PITCH	P1.93 (CONCAVE)	P1.93 (CONVEX)
Brightness (cd/m²)	>800	>800
Recommended viewing distance	>1.93 m	>1.93 m
Technology	GOB	GOB
LED type	SMD1010	SMD1010
Pixel density (dots/m²)	266,256	266,256
Refresh rate	1920–3840 Hz	1920–3840 Hz
Viewing angle	160° (H) / 160° (V)	160° (H) / 160° (V)
Contrast	6000:1	6000:1
Module size	248 × 248 mm	248 × 248 mm
Cabinet size	248 × 496 × 55 mm	248 × 496 × 55 mm
Resolution (px)	128 × 256	128 × 256
System	Stacking / Hanging / Stitching	Stacking / Hanging / Stitching
Scan mode	1/32	1/32
Environment	IP30	IP30
Max. power consumption (W/m²)	600	600
Voltage	100–240 V AC	100–240 V AC
Weight	9.2 kg per panel (without extensions)	9.2 kg per panel (without extensions)
Certifications	CE, EMC, TÜV-EMC, FCC, ETL, PSE, CCC, RoHS	CE, EMC, TÜV-EMC, FCC, ETL, PSE, CCC, RoHS

TRIANGULAR CABINET

Expand your creative possibilities

Its triangular design opens up new possibilities for construction, allowing for more dynamic, original, and distinctive arrangements.

Ideal for creating unique structures, experimenting with volumes, and breaking away from traditional formats, adding significant creative value without sacrificing visual impact.





PITCH	P1.55	P1.93
Brightness (cd/m²)	>800	>800
Recommended viewing distance	>1.55 m	>1.93 m
Technology	GOB	GOB
LED type	SMD1010	SMD1010
Pixel density (dots/m²)	416,025	266,256
Refresh rate	1920–3840 Hz	1920–3840 Hz
Viewing angle	160° (H) / 160° (V)	160° (H) / 160° (V)
Contrast	6000:1	6000:1
Module size	248 × 248 mm	248 × 248 mm
Cabinet size	496 × 496 × 55 mm	496 × 496 × 55 mm
Resolution (px)	320 × 320	256 × 256
System	Stacking / Hanging / Stitching	Stacking / Hanging / Stitching
Scan mode	1/40	1/32
Environment	IP30	IP30
Max. power consumption (W/m²)	600	600
Voltage	100–240 V AC	100–240 V AC
Weight	6 kg per panel (without extensions)	6 kg per panel (without extensions)
Certifications	CE, EMC, TÜV-EMC, FCC, ETL, PSE, CCC, RoHS	CE, EMC, TÜV-EMC, FCC, ETL, PSE, CCC, RoHS



AI-generated image

REAR VIEW OF THE CABINET





Accessories designed to maximize the impact of your booth


T-RENT-EXPO accessories turn LED screens into a comprehensive solution for trade shows and events. Not only do they expand design possibilities, but they also allow you to create more functional, attractive, and memorable spaces, enhancing visitor engagement and maximizing the booth's performance.

INTEGRATED TRAY SYSTEM

Product and content in one place

Integrate display trays directly into the LED screen to combine physical products with digital content.

Available in a steel or translucent finish, it allows you to create more attractive, organized, and interactive booths, increasing their impact and the amount of time visitors spend at them.



TRIM CONNECTOR

Cleaner structures, more professional booths

It facilitates the creation of sturdy, well-integrated structures, making it possible to build spaces that are more defined and visually flawless.

Ideal for booths seeking a premium finish, where every detail contributes to the perception of brand and quality.



COVER PLATE

Flawless finishes that enhance the stand's appeal

It hides the technical components and transforms the screen into a clean, uniform visual surface.

It enhances the overall appearance of the booth, giving it a more polished and professional look—a key factor in settings where brand image is paramount.




LIGHT STRIP

Catch people's attention, set the mood

Add perimeter lighting to the display case to enhance the visual impact of the booth.

It creates an eye-catching effect that draws attention from a distance, enhances the visibility of the space, and creates a more immersive atmosphere, especially in trade show settings with intense visual competition.






Quick maintenance and hassle-free

The T-RENT-EXPO maintenance system is designed for trade show environments where time is of the essence.

It allows for quick access to any component, reducing downtime and ensuring that the booth is always fully operational and in perfect condition for visitors.


COMPLETE FRONT AND REAR MAINTENANCE

Full access for maintenance from both sides of the cabinet, ensuring maximum flexibility in any type of installation, even in tight spaces or complex setups.




S-LOCK SYSTEM WITH QUICK-RELEASE MECHANISM

A magnetic system with a built-in suction cup that allows modules to be removed quickly, safely, and without tools, streamlining technical work in record time.





DIECAST ALUMINUM CONSTRUCTION

A robust and precise structure that improves heat dissipation and ensures mechanical stability, reducing failures and making it easier to handle internal components.









traulux by Charmex

traulux.net / charmex.net

Traditional assembly without limits *and logistics tailored to the pace of the trade show*

The T-RENT-EXPO is not limited to trade show settings. Its versatile design allows for the creation of traditional rental LED screens, expanding its range of applications to include events, temporary installations, and more demanding audiovisual projects. A solution that combines flexibility, speed, and maximum adaptability in any setting.


Hassle-free transportation, storage, and setup. The T-RENT-EXPO system is designed to optimize every phase of the project, reducing setup time and ensuring that everything arrives in perfect condition, ready to make an impact from the very first moment.

VERSATILE MOUNTING SYSTEM

Compatible with hanging and stacking systems, allowing for classic rental setups using standard structures.

Its optimized base, featuring integrated ventilation and side locks, ensures a quick, stable, and secure fit, improving heat dissipation and reducing installation and removal times.

Overall, the T-RENT-EXPO is positioned as a hybrid solution: perfect for booths, but capable of functioning as a true professional rental display when the project calls for it.





PROFESSIONAL AND MODULAR FLIGHT CASES

Various configurations allow for the safe transport of multiple cabinets along with key accessories such as cables, frames, and cover plates.

Everything is organized to streamline setup and installation at any event.





OPTIMIZED PROTECTION AND MOBILITY

Sturdy structures with internal fastening systems and lockable casters ensure stability during transport, minimize risks, and facilitate operations during repeated assembly and disassembly.



traulux by Charmex AV TECHNOLOGY

MODULAR LED SYSTEM T-RENT-EXPO

DESIGN EXHIBIT BOOTHS THAT MAKE AN IMPACT FROM THE VERY FIRST MOMENT

For more information, visit traulux.net / charmex.net

Contact

The images in this catalog were generated using AI and are for illustrative purposes only.